


WABANAG (5 musicians)

Technical Rider 1

Stage Map

www.wabanag.com

For further technical information, please contact :
Juha Jukiranta, +358 400 66 22 16
E-mail : jokirantajuha@yahoo.com



WABANAG (5 musicians)

Technical Rider 2

Channel List

www.wabanag.com

For further technical information, please contact :
Juha Jukiranta, +358 400 66 22 16
E-mail : jokirantajuha@yahoo.com

Channels	Instrument	Mic / D.I	Insert	Monitor	Mic. Stand
1	Kick Drum	AKG D112/Shure B52	Gate/Compressor	X	Small Boom
2	Snare	Shure SM 57	Gate/Compressor		Small Boom
3	Rack Tom	Shure B98/Sennh e604	Gate	(X)	
4	Floor Tom	Shure B98/Sennh e604	Gate	(X)	
5	Hi-Hat	Condenser			Small Boom
6	OH	Condenser			Tall Boom
7	OH	Condenser			Tall Boom
8	Bass	Active D.I	Compressor	X	
9	Lead Guitar L	Shure SM 57		X	Small Boom
10	Lead Guitar R	Shure SM 57		X	Small Boom
11	Frame Drum/Acoustic Guit	Condenser		X	Tall Boom
12	Percussion Set L	Condenser		X	Tall Boom
13	Percussion Set R	Condenser		X	Tall Boom
14	Vocals (stage right)	Shure SM 58	Compressor	X	Tall Boom
15	Vocals (lead) and Flute	Shure SM 58	Compressor	X	Tall Boom
16	Vocals (stage center left)	Shure SM 58	Compressor	X	Tall Boom
17	Vocals (stage left)	Shure SM 58	Compressor	X	Tall Boom
18	FX ret REV L				
19	FX ret REV R				
20	FX ret REV 2 L				
21	FX ret REV 2 R				
22	FX ret DLY				

WABANAG (5 musicians)

Technical Rider 3

Technical Requirements

www.wabanag.com

For further technical information, please contact :
Juha Jukiranta, +358 400 66 22 16
E-mail : jokirantajuha@yahoo.com

P.A

- a minimum of 100 db (A) clean and undistorted sound at the front of the house

MIXING CONSOLE

- a minimum 24 channels with 4 band EQs
- a minimum of 4 Post Aux ways and 4 Pre AUX ways
- Inserts for all channels

PERIPHERIE

- 2 x graphic EQ
- 2 x noise gate/compressor
- 2 x noise gate
- 5 x compressor
- 2 x reverb processor
- 1 x delay processor

MICROPHONES

- Microphones listed o the channel list next page are advisory.

MONITOR

- 6 x monitor wedge